22nd March 1963]

புளி ரூ. 5-க்கு மேல் விற்கிறது. ஆகவே காலத்தை ஒட்டி மீண்டும் பரிசீலனை செய்து அந்தக் குத்தகைத் தொகையை அதிகப்படுத்துவதற்கு ஏற்பாடு செய்வார்களா?

கனம் திரு. வெ. ராமையா: இந்த உப-கேள்வி இதில் வராது. இது தேசிய நெடுஞ்சாலையிலுள்ள மரங்கள் பற்றிய வருமானத்தை குறிப்பிட்டது.

Vaigai Canal scheme

* 341 *Q.*—SRI V. SANKARAN: SRI C. SRINIVASAN: SRI K. CHEEMAICHAMY: } Will the Hon. the Minister for Works be pleased to state—

(*a*) the details of the proposed Vaigai Canal Scheme; and

(*b*) when the scheme is proposed to be taken up and the approximate time limit within which the scheme will be completed?

THE HON. SRI V. RAMAIAH: (அ) & (இ): After examination of the scheme, as originally proposed, in all its aspects, the Chief Engineer (Irrigation) has been asked to re-investigate it. The re-investigation is in progress. Details of the scheme will be available after the completion of the re-investigation and finalisation of proposals.

திரு. கரு. சிமைச்சாமி: ஸார், 1962-63-லே வேலை துவங்கப்படும் என்று சென்ற ஆண்டில் கேட்ட கேள்விக்கு அமைச்சர் அவர்கள் பதில் அளித்தார்கள். ஆனால், எந்தவிதமான வேலையும் நடைபெறவில்லை. 1963-லேயாவது வேலை துரிதமாக நடப்பதற்கு அரசாங்கம் நடவடிக்கை எடுக்குமா என்று அறிய விரும்புகிறேன்.

கனம் திரு. வெ. ராமையா: இந்தத் திட்டத்தைப்பற்றி இன்னும் ஒருசில நிமிஷங்களில் பேசப் போகிறோம். கனம் அங்கத்தினர் தன் யோசனையை சொல்லலாம். நானும் அதற்கு என் பதிலை அளிக்கிறேன். 1962-63-லே இதை எடுத்துக் கொள்வதாக நான் சொன்னதும் உண்டு. ஆயினும் ஏனோ, தானோ என்று இதை செய்து விடக்கூடாது, இதனால் ராமநாதபுரம் மாவட்டத்திற்கு அதிகப் பயன் ஏற்படக்கூடிய வகையில் இந்த வைகைத் திட்டம் அமையவேண்டும். ஆகவே இதை நன்றாகச் செய்ய வேண்டுமென்று நானேதான் தலையிட்டு, அதனால் அதிகமான பகுதிகள் நன்மை அடைய வேண்டுமென்ற வகையில் அந்தத் திட்டத்தை அமைக்க பரிசீலனை செய்யும்படி சொன்னேன்.

SRI R. V. SWAMINATHAN: May I know from the Hon. Minister what the Government expects from this scheme? May I know from the original investigation what is the benefit that they expect? May I also know what the cost of the scheme?

THE HON. SRI V. RAMAIAH: I am not in a position to say now what would be the cost. But our approach is that the Vaigai system as it is now should be perfected so that every drop that

22nd March 1963]

comes into Vaigai will be used. For that a real study has to be made. It has not been made for quite a long time. So investigation has to be done thoroughly so that extra acreage could be brought under cultivation, much more than the existing acreage under irrigation. That is our approach.

திரு. க. ர. நல்லசிவம் : இதை நஞ்சைத் திட்டமாகப் போடும் உத்தேசமா அல்லது புஞ்சைத் திட்டமாகப் போடும் உத்தேசமா என அறிய விரும்புகிறேன்.

கனம் திரு. வெ. ராமையா : புஞ்சைத் திட்டங்கள் எல்லாம் நஞ்சைத் திட்டங்களாக மாறிக்கொண்டு இருக்கின்றன. இதை 'பர்ஃபெக்ட்' பண்ண வேண்டும் என்பதுதான் நோக்கம்.

Stadiums for Municipal Towns

* 342 Q.—Sri M. KALYANASUNDARAM : Will the Hon. the Minister for Municipal Administration be pleased to state—

(a) whether there is any proposal for the construction of Stadiums in Municipal owns; and

(b) if so, the details thereof?

The Hon. Sri S. M. A. MAJID : (அ) No.

(இ) Does not arise.

கனம் சபாநாயகர் : கேள்விகள் முடிவடைந்தன.

[*Note.*—An asterisk (*) at the commencement of a speech indicates revision by the Member.]

II.—CALLING ATTENTION TO THE FIRE ACCIDENT IN SADAYANPALAYAM, SALEM DISTRICT. 9-30

Sri K. S. SUBRAMANIA GOUNDER : Mr. Speaker, Sir, I wish to call the attention of the Hon. the Minister for Works to a matter of urgent public importance, viz., the fire accident on 19th February 1963 in Sadayanpalayam, Konasamudram village, Salem district causing damages to more than 70 houses belonging to poor people rendering them homeless and the consequent sufferings caused to the public.

The Hon. Sri V. RAMAIAH : Mr. Speaker, Sir, on the night of 19th February 1963, there was a fire accident in Sadayanpalayam hamlet of Konasamuduram village, in Sankari taluk in which 64 houses were destroyed by fire. It is reported that about 9 p.m. on 19th February 1963 a spark came off from the oil lamp burning in the house of one Arakkaran and set fire to the roof accidentally. As there was wind then, the fire spread over easily to the neighbouring houses with the result that 62 houses were destroyed by fire and two houses were partly damaged. There was no loss of human life and the value of the property damaged in the fire accident is estimated to be about Rs. 26,700. The fire broke out